

# BBM-24F

Color Box Camera




**M**ONALISA

## Features

- 1/3" High Sensitivity CCD
- Ultra High Resolution : 600 TV Lines
- TDN(ICR), DNR
- Min. Illumination : 0.005 Lux (B/W)
- OSD, Auto White Balance
- AGC, SBLC, Flickerless
- Motion Detection, Privacy Zone, Mirror Function
- RS-485(Pelco-D, CNB) Interface
- 12VDC/24VAC Dual Voltage

## DIMENSIONS



## SPECIFICATIONS

Model	BBM-24F
Signal System	NTSC
Scanning System	2:1 Interlace
Sync. System	Internal
Scanning Frequency (H)	15.734 kHz
Scanning Frequency (V)	59.94 kHz
Image Sensor	1/3" High Sensitivity CCD
Total Pixels	811(H) x 508(V) 410K
Total / Effective Pixels	768(H) x 494(V) 380K
Horizontal Resolution	600 TV Lines (BW 650TVL)
Lens Mount	CS Mount
Video Output Level	1.0V p-p (75Ω, Composite)
S/N Ratio	More than 50dB (AGC Off)
Day&Night Type	ICR (AGC Type)
Min. Illumination	0.05 Lux (Color), 0.005 Lux (B/W), F1.2, 30IRE
Digital Noise Reduction	Low, Middle, High, Off
White Balance	AUTO
AGC	On/Off
SBLC	Off, Low, Middle, High
OSD	English, Chinese
Mirror Function	Horizontal
Privacy Zone	On/Off (4 Programmable Zone)
Motion Detection	On/Off (4 Programmable Zone)
Shutter Speed	1/60~1/120,000 Sec.
Supplied Voltage	12VDC/24VAC Dual Voltage
Power Consumption	Max. 2.2W / 150mA
Dimensions (WxHxD)	64(W) x 57.6(H) x 124.66(D) mm
Weight	Approx. 335g